## 200ah 100ah High Voltage Lifepo4 Battery 5kw 10kw 48V Lto Solar **Battery**

#### **Basic Information**

. Place of Origin: Guangdong, China

Brand Name: **ENIKOL** 

ESK4810CW/ ESK4820CWP Model Number:

 Minimum Order Quantity: 2 pieces

• Price: \$1,240.00 - \$1,572.00/pieces Supply Ability: 1000 Set/Sets per Month



## **Product Specification**

. Battery Type: Lithium Ion Type: Wall Mounted

100AH(5120WH)/ 200AH(10240WH) Rated Capacity:

Rated Voltage: 51.2V · Display: LCD

≥8000 Times . Cycle Life: • Max Parallel: 64 Sets Warranty: 5 Years

. Shell Material: White Painted Steel Protection: Built-in Smart BMS

RS485/RS232/CAN Protocol Communication Function:

Inverter Type: Pure Sine Wave

Power Source: Gas Generator, Car, Solar Panel Special Features: Wireless Charging, Remote Control

Controller Type: **MPPT** 

#### ENIKOL



## More Images









## **Product Description**

High Voltage 200ah 100ah Lifepo4 Battery 48v Solar System Battery 5kw 10kw Lto Battery Specification

value
Pure Sine Wave
Lithium Ion
Gas Generator, Car, Solar Panel
universal
Wireless Charging, Remote Control
MPPT
ESK4810CW/ ESK4820CWP
ENIKOL
China
Guangdong
Wall mounted
100AH(5120WH)/ 200AH(10240WH)
51.2V
LCD
≥8000 times
64 sets
5 years
White painted steel
Built-in Smart BMS
RS485/RS232/CAN protocol

smart BMS(Battery Management System)in each battery will detect any problems with the performance of the battery and shurt down any cells not functioning properly, offers different protection modes:

Over charge detection function
Over discharge detection function
Current detection
Temperature protection
Short circuit detection
Balance function

**Product Description** 

## **Product Parameter**

●ESK-4810CW

●ESK-4820CWP





## ACCEPT OEM


Type:	Wall Mounted Solar Battery	
Model:	ESK-4810CW	ESK-4820CWP
Rated Capacity:	100AH(5120WH)	200AH(10240WH)
Rated Voltage:	51.2V	
Max continuous discharge current:	100A	
Display:	LCD	
Cycle life:	≥6000 times	≥8000 times
Warranty:	5 years	
Product dimensions:	620*460*195mm	850*455*180mm
Product weight:	47kg	73.9kg
Communication function:	RS485/RS232/CAN protocol	
Matchable inverter:	Growat GOODWE PYLON Luxpowertek Voltronic SREN Revo Sorfar SMA MUST	
Shell Material:	White painted steel shell	


# **Product Features**

LCD screen, convenient setting button, painted steel shell, wall mounted accessories and cables. In order to welcome global cooperation, we accept OEM customization of your own products.

#








\*\*

the New grade A LiFePO4
battery cell, which has a longer
service life and is safe and
reliable. The compact design
makes the volume smaller and
the weight lighter. It ensures
effective heat dissipation and
can work normally at higher
temperatures.



# Our Cooperation Partner

























## **Complete Product Certification**













# **Product Application**





# **Customer Case Show**

















## **ENIKOL** Damien New Energy Technology (Shenzhen) Co., Ltd.



86 17727596282



andy@enikolnewenergy.com



enikolnewenergy.com

Guangming District, Shenzhen, Guangdong Province, China