## Lifepo4 5kw Home Energy Storage Battery Lithium Iron Phosphate Battery 48V 100ah

## **Basic Information**

- Place of Origin:
- Brand Name:
- Guangdong, China ENIKOL

Colorful box

10000 Piece/Pieces per Month

- Model Number: ESK4810CW
- Minimum Order Quantity: 2 pieces
- Price: \$1,272.00/pieces 2-19 pieces
- Packaging Details:
- Supply Ability:



## **Product Specification**

<ul> <li>Battery Type:</li> </ul>	Lithium Ion	ENIKOL	
• Type:	Wall Mounted		
<ul> <li>Rated Capacity:</li> </ul>	100AH(5120WH)		200 Bin
<ul> <li>Rated Voltage:</li> </ul>	51.2V		dien .
<ul> <li>Display:</li> </ul>	LCD		
Cycle Life:	≥6000 Times		
• G.W:	47kg		
• Size:	620*460*195mm		
Communication Function:	RS485/RS232/CAN Protocol		
<ul> <li>Shell Material:</li> </ul>	White Painted Steel Shell(Optional)		
• OEM/ODM:	Yes(Accepted)		
<ul> <li>Inverter Type:</li> </ul>	Pure Sine Wave		
Power Source:	Gas Generator, Car, Solar Panel		
<ul> <li>Special Features:</li> </ul>	Wireless Charging, Remote Control		
Controller Type:	MPPT		

## More Images



Our Product Introduction

### **Product Description**

#### Lithium Iron Phosphate Battery 48v 100ah Lifepo4 Storage System 5kw Battery Solar Energy

#### Product Description

Туре:	Wall Mounted Solar Ba	Wall Mounted Solar Battery		
Model:	ESK-4810CW	ESK-4820CWP		
Rated Capacity:	100AH(5120WH)	200AH(10240WH)		
Rated Voltage:	51.2V			
Maximum charging current:	100A	100A		
Display:	LCD			
Cyclelife:	≥6000 times			
Warranty:	5 years	5 years		
Product dimensions:	620*460*195mm	850*455*180mm		
Product weight:	47kg	73.9kg		
Communication function:	RS485/RS232/CAN pro	RS485/RS232/CAN protocol		
Matchable inverter:		Growat GOODWE PYLON Luxpowertek Voltronic SREN Revo Sorfar SMA MUST		
Shell Material:	Black painted steel she	Black painted steel shell		

Smoothing intermittent energy generation: Renewable energy sources like solar and wind can be intermittent, but home energy storage batteries can smooth out the fluctuations by storing excess energy during periods of high generation and releasing it during low generation.

Demand charge reduction: Homeowners with high electricity demand charges can use energy storage to lower their peak demand by drawing electricity from the battery during periods of high demand, reducing their overall electricity costs.

# **Product Parameter**

ESK-4810CW

ESK-4820CWP



## ACCEPT OEM

Туре:	Wall Mounted Solar Battery		
Model:	ESK-4810CW	ESK-4820CWP	
Rated Capacity:	100AH(5120WH)	200AH(10240WH)	
Rated Voltage:	51.2V		
Max continuous discharge current:	100A		
Display:	LCD		
Cycle life:	≥6000 times	≥8000 times	
Warranty:	5 years		
Product dimensions:	620*460*195mm	850*455*180mm	
Product weight:	47kg	73.9kg	
Communication function:	RS485/RS232/CAN protocol		
Matchable inverter:		N Luxpowertek Voltroni orfar SMA MUST	
Shell Material:	White painted steel shell		

# **Product Features**


LCD screen, convenient setting button, painted steel shell, wall mounted accessories and cables. In order to welcome global cooperation, we accept OEM customization of your own products.

8548

ADR ADR ADR



Intelligent BMS, equalization module, RS485/RS232/CAN communication protocol, matching grid connected



ENIKOL lithium battery uses the New grade A LiFePO4 battery cell, which has a longer service life and is safe and reliable. The compact design makes the volume smaller and the weight lighter.It ensures effective heat dissipation and can work normally at higher temperatures.



.

# Our Cooperation Partner

K



## **Complete Product Certification**





# **Product Application**





# **Customer Case Show**















**ENIKOL** Damien New Energy Technology (Shenzhen) Co., Ltd.

86 17727596282 andy@enikolnewenergy.com
 Guangming District, Shenzhen,Guangdong Province, China