RV Solar Lithium Ion Battery Pack / 12V 100ah Lifepo4 **Battery**

Basic Information

- Place of Origin:
- Brand Name:
- **ENIKOL**
- Model Number:
- Minimum Order Quantity: • Price:
- Supply Ability:
- ESK1210P

Guangdong, China

- 2 pieces
 - \$212.00/pieces 2-40 pieces 10000 Piece/Pieces per Month

ENIKOL



Product Specification

- The Discharge Rate:
- The Charging Ratio:
- Storage Type:
- Anode Material:
- Application:
- 98% 99%
- Standard Storage

100AH (1280WH)

12.8V LCD

12.4kg

≥5000 Times

- LFP
 - Toys, Power Tools, Home Appliances, Consumer Electronics, BOATS, Golf Carts, SUBMARINES, Electric Bicycles/Scooters, Electric Vehicles, Electric Wheelchairs, Electric Power Systems, Solar Energy Storage Systems, Uninterruptible Power Supplies, Electric For
- Rated Capacity:
- Rated Voltage:
- Display:
- Weight:
- Cycle Life:
- Shell Material: Antistatic Flame Retardant PC

ENIKOL



More Images

ENIKOL







Manufacturer Low Price 12v Solar Battery 12v Lithium Ion Battery Pack 100ah Lifepo4 Battery 12v

Specification

item value Brand Name ENIKOL Model Number ESK1210P Place of Origin China Guangdong Weight 12.4kg The charging ratio 99% The discharge rate 98%	
Model Number ESK1210P Place of Origin China Guangdong Weight 12.4kg The charging ratio 99%	
Place of Origin China Guangdong Weight 12.4kg The charging ratio 99%	
Guangdong Weight 12.4kg The charging ratio 99%	
Weight 12.4kg The charging ratio 99%	
The charging ratio 99%	
The discharge rate 98%	
Storage Type standard storage	
Warranty 5years	
Anode Material LFP	
Toys, Power Tools, Home Appliances, Consumer Ele BOATS, Golf Carts, SUBMARINES, Electric Application Bicycles/Scooters, Electric Folklifts, electric vehicles, Wheelchairs, Electric Power Systems, Solar Energy S Systems, Uninterruptible Power Supplies, Electric Fol	Electric Storage
Rated Capacity 100AH (1280WH)	
Rated Voltage 12.8V	
Display LCD	
Cycle Life ≥5000 times	
Warranty 3 years	
Shell Material Antistatic flame retardant PC	
Series Connection Support (optional)	
Charging Temperature 0 to +55	
Operating Temperature -20 to +65	
OEM/ODM Yes(Accepted)	


1) Longer Cycle Life: Longer cycle life than a lead-acid battery, helping to minimize replacement cost and reduce total cost of ownership.


2) Wider Temperature Range: -20 to +65

3) Safety: Lithium Iron Phosphate chemistry eliminates the risk of explosion or combustion due to high impact overcharging or short circuit situation

Product Description








Duilt in DMC Duataction

Dunt-in Divis Liotection



Connection of Solar Panel(MPPT) and Battery



Product Information





· ESK-1210P

· ESK-1224B

Item	Specification				
Model	ESK-1210P	ESK-1213S	ESK1220B	ESK1224B	
Rated capacity	100Ah (1280WH)	130AH(1664WH)	200AH(2560WH)	240AH(3072WH	
Nominal voltage	12.8V				
Discharge end voltage	10V				
Charging limit voltage	14.6V				
Max charging current	50A 100A		0A		
Max continuous discharging current		100A		200A	
Weight(KG)	12.4	15.5	28	31	
Display	LCD display				
Dimension (L* W * H) mm	330*170*220 480*240*210 490 * 260* 220		0* 220		
Design life	20 years				
Cycle life	≥5000 times		≥6000 times		
Series connection	Support (optional)				
IP		IF	255		
Shell material		Antistatic flan	ne retardant PC		
Charging temperature	0 to + 55 ° C				
Operating temperature	-20 to + 65° C				
Certificate		CE FCC UKC	UN38.3 MSDS		



<section-header> Our Cooperation Partner Image: Cooperation Partner Im

Complete Product Certification

	5.3 IE	ST RE	POR	Г	
U	N38.3	检测措	&告		
Report No.: 31:54 9-	CMC220H2Z	215	G		
Name of Goods: That it is a	Power U-Ion bellery If R Fichiese				
Model:	E90210P		17		
Type: BLB-	12.8V 1004n 128010n				
Client: dHL#42+	Damies new energy lectrology (Sheuten) Co. Ltd U.K.D.B.W.E.R.H. C.R.D. C.R.24				
Classification of test RDR/R/W	Commission REAL	Test	1		
Tested by: A	yuy test	Approved by:	anglis	ant	
	かっても		(Partie	a	
Date of Issue.	2022 10:20	Seal of CMC; CMC EIR.	1160	11	

9	Place and a first consistent of the spectra of the spectra of
CH	ERTIFICATE
	ATTESTATION Certificate of Compliance
Subveat 8	to of the songery removed below has been imported and audit has been completed successfully.
THEM	Crustive 2314/2010/ has been taken as informout for these processes
Cursticate's institut	. Dament new among lectronizige (Shoraffvers Ga. LM
Actives	Plant A, Yonning insuld Industrial Park, Gango, Road, Turkan scienceshy: Yubang shoab, Guangmang Darkst, Shanghon, Oncar
Nordshare	. Demontnew average technology (Prevaluer) Co., Ltd.
Abbres	Parts A, Tenning Insuld Endualised Park, Genja, Tavelan scinemarky: Yulang attract, Goangrining Dathol, Sharuhan, Onne
Product Name	· Power Li on Setting
Product Moder (1)	. ESection ESecuse Execution Execution Execution
Tode Mark	· NA
Related Directive	- 20%X88U
Nonizat Standarth	EN 802 810004-0-3024 EN 802 810004-1-2013
Conficular Number	1 WOODAUHE-M11
Report No.	I INCOMPANY AND
Perpetutor Date	· 04 14 5027



Factory Show





